


DETERGENT

Auxiliary of Cleaning Heavy Oil DX103



Cationic surfactant for heavy-duty soil stripping

DX103 is a cationic surfactant that exhibits excellent stripping performance on heavy oil stains and is widely used in industrial oil-removing cleaner systems.

Efficient Wax Remover DX108A



Multifunctional wax stripper

DX108A can be directly used as a wax stripper after dilution.

DETERGENT

Triethanolamine Oleic Soap DX1898



Iron-nickel plating Dehydration agent

DX1898 is widely used in the field of iron-nickel plating dehydration agents due to its excellent rust resistance and dehydration performance.

Foam-Free Aluminum Corrosion Inhibitor DX521



Aluminum-nickel plating dehydration agent

DX521 is widely used in the field of aluminum-nickel plating dehydration agents due to its excellent aluminum corrosion inhibition performance and dehydration performance.

DETERGENT

Degreasing Surfactant DX106



- ✓ Surfactants for heavy oil pollution
- ✓ Withstand 22% sodium hydroxide

DX106 is widely used in Heavy oil cleaning agent system for its excellent degreasing performance and withstanding for sodium hydroxide.

Tea Dodecylbenzenesulfonate DX129



- ✓ Neutral Surfactant for ash removal
- ✓ Aluminum corrosion inhibition

DX129 has good cleaning performance for both oil and wax ash, and is suitable for degreasing and waxing cleaning agent systems.